

## **DETAILED ACTION**

### **Evidence Relied Upon**

In the Examiner's Answer that was mailed on 3/21/08 the evidence relied upon by the examiner in the rejection of the claims under appeal was inadvertently omitted. The evidence relied upon is listed below:

US Patent 2,398,257 to Schwartz 02-1943

### **Information Disclosure Statement**

The information disclosure statements (IDS) submitted on 2/4/04 and 7/13/06 are in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner. Signed and dated copies are attached.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Willmon Fridle whose telephone number is 571 272 4476. The examiner can normally be reached on Monday - Thursday.

Art Unit: 3724

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, ASHLEY BOYER can be reached on 571 272 4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

wf

/Willmon Fridie/  
Primary Examiner, Art Unit 3724